

SPECIAL OFFER | Clinic

From 1 February to 30 April, 2025

IDS 2025 from 25 to 29 March



icanCLAVE 3F Autoclave



icanCLAVE 3F is a super-fast autoclave, especially for the sterilisation of unwrapped instruments, which greatly improves the rotation rate of surgical and the convenience of small operations such as dentistry.


- ✓ Printer port.
- ✓ USB port.
- ✓ Internal memory.
- ✓ Barcode label printer port.
- ✓ Carrying case.



Official technical service
icanCLAVE
in Spain

REF. 100367

LAUNCH OFFER
1.995 €



REGULATIONS

- ✓ 97/23/EEC Pressure Equipment Directive.
- ✓ Regulation (EU) 2017/745 on medical devices (MDR)
- ✓ EN13060 Small steam sterilizers.
- ✓ EN61326, EN 61000 Electromagnetic compatibility.
- ✓ EN61010-1, UL 61010-1 Safety requirements.
- ✓ EN61010-2-040, IEC 61010-2-040 Specific requirements for steam sterilizers used for treatment of medical materials.
- ✓ EN 13485:2012/AC:2012
- ✓ ISO 13485:2003

Official technical service ICANCLAVE in Spain.



Specifications

Voltage, Frequency: 220/110V, 50/60Hz • Chamber volume: Aprox. 3L
Power: 2300 W • Number of trays: 1 • Tray material: Aluminium
Tray dimensions: 178 x 285 mm
Chamber dimension: 192(W) x 45(H) x 285(D)

18-D Desktop autoclave class B (18 liters)




- ✓ High quality internal components.
- ✓ ODE valves, ULUAK vacuum pump, ULKA water pump.
- ✓ Ultra quiet (70 dB).
- ✓ Triple fractionated vacuum system with an independent steam generator, which guarantees fast and safe sterilization cycles.
- ✓ High precision control system for perfect sterilization results (EN13060).
- ✓ Auto-diagnosis with error codes.
- ✓ Fully automatic with pre-programmed sterilization cycles.
- ✓ Chamber and door in stainless steel, with electro-polished finish.
- ✓ Open type water tank, which allows easy filling and cleaning.
- ✓ With printer.



Official technical service
icanCLAVE
in Spain

REF. 100365

2.852 €



Specifications

Chamber dimensions 247 x 350 mm
Nominal power 1750 V
Operation temperature 5-40°C
Operation relative humidity Máx. 80%
Operation atmospheric pressure 76-106 kPa
Noise < 70 dB
Circuit breaker F16A/400 V
Sterilization temperatures 121/134°C
Distilled water tank capacity 2.5 l

Suction unit Sirocco S



Incorporates two stages of filtration: a first circular HEPA (High Efficiency Particulate Array) filter and a second internal HEPA filter. The unit also features an external micromotor detection system and seven different power levels.

Together with the finishing box, they form an extremely useful and reliable partnership for a clinic environment, allowing for minor polishing and reworking operations.

- ✓ Powerful induction motor.
- ✓ Intuitive touch keypad.
- ✓ Easy to use and change filter.
- ✓ Large screen and access.
- ✓ Exceptionally quiet.
- ✓ LED lamp for perfect illumination.
- ✓ Great working ergonomics.



Sirocco S + Finishing box

REF. 080534AC

699 €

Specifications

Box dimensions 365 x 290 x 290 mm • Weight 5.5 kg
Power 350 W • Noise 55 dB

Biological espore incubators

Simple and easy to use, they are essential to carry out the necessary tests that confirm the proper performance of the sterilization devices.

Both have four cameras to be able to perform as many verifications at the same time. The Elite model's electronic control also alerts

of anomalies such as power outages to avoid incorrect results.

Essentials to confirm the proper performance of the autoclave.



Elite model
Adjustable temperature
and digital display

REF. 100370

300 €



Practic model
Functional
and economical

REF. 100375

129 €

Specifications

Power 25 W
Temperature range 57.5 ± 2.5°C / 35 ± 2.5°C

Specifications

Power 10 W
Temperature range 57.5°C

SPECIAL OFFER | Clinic

From 1 February to 30 April, 2025

IDS 2025 from 25 to 29 March



MESTRA

Pressure former PlastPress

The most compact positive pressure machine on the market.

Greater accuracy in the forming process and lower noise compared to vacuum machines.

Practical and versatile, it accepts round and square sheets up to 6 mm thickness.

It must be connected directly to a compressor (between 3 and 8 bar).

Sheets \square from 125 to 131 mm
Sheets \circ from 120 to 134 mm



REF. 080544

941 €

Specifications

Height 270 mm
Width 235 mm
Depth 265 mm
Weight 7.5 kg
Power 450 W

Vacuum forming machine

Thermoforming machine for square and round sheets.

Sheets \square from 125 to 134 mm
Sheets \circ from 125 to 134 mm
(adapter available for \circ 120, not included)



REF. 080542

651 €

Specifications

Height 310 mm
Width 275 mm
Depth 260 mm
Weight 4.6 kg
Power 925W

NEW

Thermoforming sheets

Double packaging (inside-outside).
For all types of use.

CE Medical device



Thermoforming sheets

CE Medical device



Standard square and round thermoforming sheets. Made of high quality plastic with CE marking certification as medical device.

There is no soot, nor fumes during the heating. As they do not contain recycled materials, they do not tear while subjected to vacuum.

Available in a wide variety of thicknesses and types. Supplied in metalized package and vacuum closed.

From 4 €

REFERENCE	HARDNESS	APPEARANCE	Dim. 126 x 126 mm thickness	QTY.	PRICE
080563	Hard	Transparent	0.5 mm	25 u.	11 €
080564	Hard	Transparent	0.75 mm	25 u.	14,56 €
080565	Hard	Transparent	1.0 mm	25 u.	14,56 €
080566	Hard	Transparent	1.5 mm	25 u.	18,30 €
080567	Hard	Transparent	2.0 mm	25 u.	27 €
080568	Soft	Translucent	0.5 mm	25 u.	25 €
080569	Soft	Translucent	1.0 mm	12 u.	6,98 €
080570	Soft	Translucent	1.5 mm	12 u.	9,27 €
080571	Soft	Translucent	2.0 mm	12 u.	13,97 €
080572	Soft	Translucent	3.0 mm	12 u.	17,45 €

REF.	TYPE	HARDNESS	APPEARANCE	Dim. 126x126 mm thickness	QTY.	OFFER PRICE
080574	Crystal	Hard	Transparent	0.3 mm	10	4€
080575	Crystal	Hard	Transparent	0.75 mm	5	4€
080576	Crystal	Hard	Transparent	1.0 mm	5	4€
080577	Crystal	Hard	Transparent	1.5 mm	5	6€
080578	Crystal	Hard	Transparent	2.0 mm	5	8€
080579	Milky	Hard	Translucent	0.6 mm	10	4€
REF.	TYPE	HARDNESS	APPEARANCE	Dim. 131x131 mm thickness	QTY.	OFFER PRICE
080580	Soft	Soft	Translucent	1.0 mm	10	7€
080581	Soft	Soft	Translucent	1.5 mm	10	10€
080582	Soft	Soft	Translucent	2.0 mm	10	12€
080583	Soft	Soft	Translucent	3.0 mm	5	9€
080584	Soft	Soft	Translucent	4.0 mm	5	13€
REF.	TYPE	HARDNESS	APPEARANCE	Dim. ϕ 125 mm thickness	QTY.	OFFER PRICE
080574R	Crystal	Hard	Transparent	0.3 mm	10	4€
080575R	Crystal	Hard	Transparent	0.75 mm	5	4€
080576R	Crystal	Hard	Transparent	1.0 mm	5	5€
080577R	Crystal	Hard	Transparent	1.5 mm	5	7€
080579R	Milky	Hard	Translucent	0.6 mm	10	5€
080580R	Soft	Soft	Translucent	1.0 mm	10	5€
080581R	Soft	Soft	Translucent	1.5 mm	10	9€
080582R	Soft	Soft	Translucent	2.0 mm	10	9€
080583R	Soft	Soft	Translucent	3.0 mm	5	6€
080584R	Soft	Soft	Translucent	4.0 mm	5	11€

Pressure former



The strong pressurization allows precise molding, regardless of the cut of the model, as well as various thicknesses (0.5 to 4.0 mm). Square and round sheets (127, 125, 120 mm) can be used.

Specifications

Height 545 mm Width 410 mm
Depth 260 mm Weight 15 kg
Power 450 W Pressure 4-6 bar

REF. 080543

2.422 €

Drying oven for thermoforming sheets



A fan circulates the hot air producing a uniform drying:

- ✓ Draws out moisture and keeps dry thermoforming sheets, to avoid the formation of bubbles.
- ✓ Drying of instruments plaster models, etc.
- ✓ 6 stainless steel trays.
- ✓ Stainless steel housing.
- ✓ 24 hour timer.

REF. 080118

268 €

Specifications

Height 310 mm Width 340 mm Depth 450 mm
Weight 8.3 kg Power 550-650 W Temperature 35-75 °C

SPECIAL OFFER | Clinic

From 1 February to 30 April, 2025

IDS 2025 from 25 to 29 March



MESTRA

Automatic bag sealer

NEW



200 mm
240 mm
635 mm

Optional roller
REF. 080436

REF. 080435

17 kg

2.170 €

Bag sealer



Bags not included

Specifications

- Height 210 mm
- Width 430 mm
- Depth 335 mm
- Weight 6.5 kg
- Power 100 W

REF. 080433

SUPER OFFER

265 €

- ✓ Sealing length 305 mm
- ✓ Sealing width 12 mm

Bags for sealer self-sealing

New bags 5x9 cm
The smallest on the market!



Class I medical device (MDR 2017/745)
Conforming to standards ISO 11607-1:2017 and EN 868-5:2009

NEW

200 units per package

CHECK PRICES

Specifications

Ref. 080448: 5 × 24 cm	Ref. 080449: 7 × 26 cm
Ref. 080450: 9 × 26 cm	Ref. 080451: 5 × 9 cm
Ref. 080452: 14 × 28 cm	Ref. 080454: 19 × 36 cm
Ref. 080456: 25 × 40 cm	Ref. 080457: 30 × 40 cm
Ref. 080458: 30 × 45 cm	Ref. 080459: 5.7 × 13 cm

Coils for sealers



Specifications

- Ref. 080441: 5 cm × 200 m
- Ref. 080442: 7.5 cm × 200 m
- Ref. 080443: 10 cm × 200 m
- Ref. 080444: 15 cm × 200 m
- Ref. 080445: 20 cm × 200 m
- Ref. 080446: 25 cm × 200 m
- Ref. 080447: 30 cm × 200 m

Class I medical device (MDR 2017/745)
Conforming to standards ISO 11607-1:2017 and EN 868-5:2009

CHECK PRICES

Barrier film

This adhesive film offers a practical and effective solution for dental environments, providing a layer of protection for instruments and materials.

Each roll contains 1200 pre-cut 10 x 15 cm adhesives.

Blue colour.

Specifications

- 1200 pre-cut adhesives.
- Dimensions 10 x 15 cm

NEW



REF. 080439

LAUNCH OFFER

10 €

Germicide box for burs



Stainless steel
REF. 070530

42 €

Specifications

- Height 35 mm
- Diameter 70 mm
- Weight 0.12 kg

REF. 070531

8 €

Specifications

- Height 80 mm
- Diameter 90 mm
- Weight 0.12 kg

Tank for distilled water

Made of stainless steel, it features a pressure regulator and a double safety valve

Specifications

- Height 680 mm
- Width (with pressure regulator) 255 mm
- Diameter 225 mm
- Weight 4.7 kg
- Capacity 18 l



Inox

MADE IN SPAIN
MESTRA DESIGN

REF. 080620

307 €

Distiller decalcifier

Specifications

- Height 385 mm
- Width 250 mm
- Depth 240 mm
- Weight 3.4 kg
- Capacity 4 l



REF. 100210

230 €

SPECIAL OFFER | Clinic

From 1 February to 30 April, 2025

IDS 2025 from 25 to 29 March



MESTRA

Ultrasonics bath 2.8, 3.4 and 5.8 liters

- ✓ Temperature.
- ✓ Drain.
- ✓ Metal basket.
- ✓ Made of Stainless Steel.




5.8 L
REF. 100152

452 €

Inner dimensions:
Height 155 mm
Width 298 mm
Depth 152 mm

365 x 180 x 290 mm
(width x depth x height)



3.4 L
REF. 100151

421 €

Inner dimensions:
Height 100 mm
Width 298 mm
Depth 152 mm

365 x 165 x 290 mm
(width x depth x height)



2.8 L
REF. 100150

328 €

Inner dimensions:
Height 100 mm
Width 238 mm
Depth 140 mm

300 x 165 x 245 mm
(width x depth x height)

Calypso ultrasonic bath 4 liters



- ✓ With heating
- ✓ With drain valve
- ✓ Includes crystal glass
- ✓ Includes cutter cleaning pliers (ref. 070520)
- ✓ Includes stainless steel basket

REF. 080422

1.124 €

Specifications

Height 220 mm • Width 425 mm • Depth 270 mm
Weight 4.5 kg • Capacity 4 l • Frequency 40 kHz

Ultrasonic bath 180 ml with UV-light



REF. 100162

LAUNCH OFFER
47 €

Specifications

Height 122 mm • Width 122 mm • Depth 104 mm
Weight 2,8 kg • Capacity 180 ml • Frequency 42 kHz
Cuve Ø 87*38 mm • Timer 5/10 min
Tension 220 50/60 Hz • Power 28W

Ultrasonic bath For denture cleaning



75 mm
85 mm
90 mm
0.18 kg

REF. 100160

Specifications

Power supply 2 batteries AA

*The battery is not included.

CHECK PRICES

Ultrasonic bath 3, 2.5 and 1.4 liters



REF. 100140

262 €



REF. 100142

170 €



REF. 100141

170 €

REF.	Height	Width	Depth	Weight	Capacity
100140	204 mm	314mm	243 mm	3,1 kg	2,5 L
100141	162 mm	225 mm	240 mm	1,9 kg	1,4 L
100142	234 mm	385 mm	193 mm	3,6 kg	3 L

SPECIAL OFFER | Clinic

From 1 February to 30 April, 2025

IDS 2025 from 25 to 29 March



MESTRA

Alginate mixer

- ✓ Transportable.
- ✓ Ergonomic.
- ✓ Two speeds.
- ✓ Spatule included.

CE Medical device
MDR 2017/745



Specifications

Height 230 mm
Width 175 mm
Depth 250 mm
Weight 3 kg

REF. 080515

403 €

Gift - One cup
valued in 27,69 €
Ref. 080515-02

Alginate automatic mixer

- ✓ Comfortable automatic mixing.
- ✓ Quick mixing obtention in a few seconds.
- ✓ Easy cleaning of all components.
- ✓ Max mix 80 grs.



Gift - Sealed alginate
container valued
at 93,20 €
Ref. 100189



305 mm
265 mm
205 mm
17 kg

REF. 100191

819 €

Apex locator

- ✓ Automatic calibration.
- ✓ LCD display clear and accurate image.
- ✓ Different colours.
- ✓ Sterilizable accessories.
- ✓ Rechargeable battery.



REF. 100330

291 €

110 mm
80 mm
138 mm
0.4 kg

Intraoral camera (autofocus)

- ✓ High resolution with 2000 000 pixels.
- ✓ Transfer of images with WIFI.
- ✓ 15 inches LCD screen.
- ✓ Autofocus function.



REF. 100335

749 €

360 mm
150 mm
308 mm
3 kg

LED C curing light

- ✓ It has a desktop base/charger.
- ✓ Without wires.

CE
0197

Specifications

Dimensions 263 x Ø 23 mm
Weight 120 gr
Power supply 100-240 V 50/60 Hz
Light output 850-1000 mW/cm²



REF. 100320

190 €

Motor for endodontics

CE
0120

Specifications

Height 215 mm
Width 85 mm
Depth 120 mm
Weight 0.3 kg
Speed 100-600 rpm
Torque 1.4 N. cm
Power supply Batteries



REF. 100350

612 €

Tabletop ultrasonic scaler

CE
0197

80 mm
134 mm
200 mm
0.66 kg



D3

REF. 100313

250 €

2 Functions
Scaling - Periodontics
Satelec type handpiece
Detachable and autoclavable with 5 tips.

81 mm
159 mm
188 mm
0.65 kg



D5

REF. 100316

300 €

3 Functions
Scaling - Periodontics - Endodontics
Satelec type handpiece
Detachable and autoclavable with 6 tips.

230 mm
190 mm
240 mm
1.23 kg



D7

REF. 100318

622 €

3 Functions
Scaling - Periodontics - Endodontics
Satelec type handpiece. Detachable and autoclavable at 135° with 8 tips. With liquid reservoir or drug treatment.

SPECIAL OFFER | Clinic

From 1 February to 30 April, 2025

IDS 2025 from 25 to 29 March



MESTRA

Whitening Lamp

- ✓ Wide spectrum of illumination (from 420 to 472 nm)
- ✓ High power (up to 2000 mW/cm²)
- ✓ Easily adjustable in height and orientation.
- ✓ Its digital display shows the power, times, etc. of the whitening process.
- ✓ Includes remote control 20 disposable mouth splints, two protective glasses and a lip retractor.



Specifications

Height 1120 mm
Width 820 mm
Depth 280 mm
Weight 10 kg

REF. 100340

SUPER OFFER
490 €

Whitening Lamp

- ✓ Wide spectrum of illumination.
- ✓ 3 different types of LED light sources: blue, red, (red + blue).
- ✓ 5 blue lights from 430 to 490 nm.
- ✓ 2 high power red lights 610 to 650 nm.
- ✓ Light output power up to 2327 mW/cm²
- ✓ 8 purple lights with sterilization effect.
- ✓ Made of metallic material, in appearance elegant and easy to assemble.
- ✓ Adjustable bleaching time.



Specifications

Height 1700 mm
Width 560 mm
Depth 560 mm
Weight 19 kg

REF. 100341

691 €

Mini sandblaster for extraoral use

- ✓ Particle size: 50 to 100 microns.
- ✓ Essential for brackets cleaning.
- ✓ Adequacy of micro retentions and crowns.
- ✓ Adjustment of interproximal contacts.
- ✓ Occlusal sandBlasting.
- ✓ Inlay-Onlay.



Specifications

Work pressure 4 to 5.5 bares
Particle size Up to 100 microns





REF. 100122

SUPER OFFER
130 €

Gutta Percha cutter

The tip is flexible design to let you cut smoothly.


Press the power button and the tip can heat up to 500°C immediately. Release the button and the tip will cool down quickly.



REF. 100349

90 €

X-ray viewers flat




CHECK PRICES

DIMENSIONS	VISION AREA	OUTDOOR AREA	USE	WEIGHT
Ref. 100131 DIN A4	300 × 210 mm	360 × 240 × 20 mm	For wall and tabletop	1.7 kg
Ref. 100132 SRA3	430 × 355 mm	510 × 495 × 50 mm	For wall and tabletop	3.1 kg
Ref. 100134 DIN A2	580 × 400 mm	700 × 520 × 33 mm	For wall	4 kg

Silicone Mixer

- ✓ Suitable for 99% of silicones.



Specifications

Height 290 mm Width 170 mm
Depth 250 + 150 mm Weight 7.1 kg
Power 150 W Push force 450 kg ± 10
Environmental temp. 5-40°C

REF. 100360

930 €

Composite Heater

Device to keep up to 8 composite syringes warm.



REF. 080077

SUPER OFFER
225 €

Specifications

Height 135 mm Width 97 mm
Depth 110 mm Weight 0.7 kg
Temperature 40-50-70°C Holes Ø 16 mm

Portable micromotor brushless intramatic

Autonomy 10 hours



CONTROL BOX

Height 45 mm Width 105 mm
Depth 145 mm Weight 0,4 kg

REF. 100282

Height 20 mm Width 20 mm Depth 155 mm
Weight 0,2 kg Power 30W Torque 250 gf-cm
Speed 30000 rpm

REF. 100282

583 €

SPECIAL OFFER | Clinic

From 1 February to 30 April, 2025

IDS 2025 from 25 to 29 March




Magnifying glasses



Lightweight, handy and with excellent panoramic and clear vision. The magnifier is essential for clinical and laboratory procedures. Manufactured with CR-39 resin, higher resistance against abrasion and excellent and excellent transparency.

- ✓ Available in 2.5x or 3.5x magnification.
- ✓ Packing dimensions: (WxDxH) 25.5 x 16.5 x 3.5 cm.
- ✓ Weight: 65g.



NEW

LAUNCHING OFFER

Augmentation 2,5 x
REF. 100076

Augmentation 3,5 x
REF. 100077

36 €

36 €



Safety glasses

Vent valve

REF. 100014

10 €



Anti-fog

REF. 100011

15 €

UV rays

REF. 100013

15 €

Great Vision

REF. 100012

15 €

Face protection

Folding + 10 units

REF. 100022

SUPER OFFER
12 €



Face protection

Frame + 10 units

REF. 100021

SUPER OFFER
13 €



Finishing box Eclipse




- ✓ Designed and manufactured in Spain.
- ✓ Coupling for job type chipper.
- ✓ Ergonomic working position.
- ✓ LED lamps.
- ✓ Easy cleaning.

REF. 080216

378 €

Flask

for duplicating with alginate



- ✓ The inner measurements can be reduced by using rubber pieces



REF. 020206

97 €

Vibrador redondo

Ø120 mm



- ✓ Made of white colour anodized aluminium, and rests on suction pads.
- ✓ Recess of 30 mm for inserting the tray.
- ✓ It is equipped with a potentiometer, a selector switch (+,-) for stepped adjustment of vibrations, and an "ON" light.


Specifications

Height 100 mm
Surfaces Ø 120 mm
Weight 2.5 kg

REF. 080030

277 €

Polymerizing pneumatic Pot



Specifications

Pressure máx. 2 bar
Temp. máx. 60°C
Capacity 6 l

REF. 030420

300 €

235 mm
420 mm
245 mm
2.4 kg
Inner dimensions: Ø 220x170 mm height

Water bath

for wax plates

For intraoral records

- ✓ Stainless tank and lid.

Specifications

Height 155 mm
Width 235 mm
Depth 205 mm
Weight 1.7 kg
Temperature 30-75°C
Capacity 1 l



REF. 080078

402 €

SPECIAL OFFER | Clinic

From 1 February to 30 April, 2025

IDS 2025 from 25 to 29 March



Trolley


- ✓ Made of stainless steel.
- ✓ Pull-out tray (495 x 345 mm)



NEW

REF. 100451

SUPER OFFER
145 €



Inox



Trolley


- ✓ Made of stainless steel.
- ✓ Pull-out tray (495 x 345 mm)



NEW

REF. 100452

SUPER OFFER
145 €





Inox



Scanner trolley

NEW




REF. 100450

380 €

Electric mobile trolley

- ✓ Made of steel sheet and enameled white.
- ✓ Two sockets for equipment connection.
- ✓ Three trays.
- ✓ Four wheels (smooth and balanced movement).



REF. 100305

297 €




Electric mobile trolley

- ✓ Made of steel sheet and enameled in white.
- ✓ Three trays.
- ✓ Three sockets to power the equipment.
- ✓ Four wheels with smooth and balanced movement.
- ✓ Weight supported per tray: 5 kg

REF. 100307

SUPER OFFER
216 €




Electric mobile trolley

- ✓ Made of steel sheet and enameled in white.
- ✓ Three trays.
- ✓ Three sockets, one drawer.
- ✓ Four wheels with smooth and balanced movement.
- ✓ Weight supported per tray: 5 kg.

REF. 100308

SUPER OFFER
366 €




Electric mobile trolley

- ✓ Made of steel sheet and enameled white.
- ✓ Two sockets for equipment connection.
- ✓ Four wheels (smooth and balanced movement).
- ✓ Three glass trays.

REF. 100306

SUPER OFFER
420 €



Working table

- ✓ Metallic table, wood countertop.
- ✓ Working chair Ref. 100300
- ✓ Polishing lathe and two trays.
- ✓ LED lamp.
- ✓ Micromotor.

Gift:

- ✓ Magnifying glass
- ✓ Magnetic bur holder

Work chair

Allows four different regulations.
Wheels with safety brakes (EN 1335-2:2009)

REF. 100301K2

1.867 €

REF. 100300

266 €



SPECIAL OFFER | Clinic

From 1 February to 30 April, 2025

IDS 2025 from 25 to 29 March



MESTRA

Sprayer nebulizer

Using the appropriate products, large surfaces can be efficiently disinfected in just a few minutes (up to 100 m² in just 10 minutes).



Specifications

Dimension 250 x 335 x 570 mm
Weight 2.7 kg
Power 1000 W
Capacity 5 l

REF. 100520

329 €

Extraoral suction system

Greatly reduce the risk of cross contamination between professionals and patients and protect respiratory health.



Specifications

Height (arm not included) 755 mm
Width 330 mm
Depth 320 mm
Weight (arm included) 30 kg
Power 1000 W
Arm length 1.3 m

REF. 100347

1.118 €

UV cabinet sanitizer

The effectiveness of ultra violet rays is known to eliminate germs from any surface.

Ideal for clinics and laboratories.



Specifications

Dimension 300 x 290 x 200 mm
Weight 4.5 kg
Power 4 W

REF. 100502

186 €

UV cabinet sanitizer

The effectiveness of ultra violet rays is known to eliminate germs from any surface.

Ideal for small objects such as mobile phones, masks, key rings, coins, jewelry, etc.

- ✓ Highly recommended for personal use.
- ✓ With drying function.



Specifications

Dimension 120 x 296 x 195 mm
Weight 1 kg
Power 150 W

REF. 100500

53 €

UV cabinet sanitizer

The inside of the cabinet is made entirely of easy-to-clean stainless steel.

It contains 10 levels of trays in which instruments can be stored.

The deposited elements will be subjected to the action of UV rays.



Specifications

Dimension 500 x 350 x 260 mm
Weight 8 kg
Power 15 W

REF. 100504

239 €

Air purifier (60 -70 m²)

It acts on the stale air in any room, eliminating dust, dirt and germs.



Specifications

Dimension 570 x 370 x 265 mm
Weight 8.5 kg
Power 72 W

REF. 100514

406 €

Air purifier (30 - 35 m²)

It acts on the stale air in any room, eliminating dust, dirt and germs.



Specifications

Dimension 536 x 360 x 206 mm
Weight 6.3 kg
Power 45 W

REF. 100512

312 €

Air purifier (25 m²)

It acts on the stale air in any room, eliminating dust, dirt and germs.



Specifications

Dimension 303 x 329 x 170 mm
Weight 4 kg
Power 36 W

REF. 100510

179 €




Semiadjustable arcon type articulator + Case Arquímedes Professional A7 Plus

REF. 010099

200 €

Robust structure made of aluminum, ensuring greater stability. Design that provides greater visibility.

- ✓ Stabilization system of the condilar guide movement with silicone connection.
- ✓ Support for upper branch in open position
- ✓ Fixed intercondylar distance (110 mm)
- ✓ Curve condylar guide
- ✓ Regulable condylar guide
- ✓ Regulable Bennet angle
- ✓ Central lock



Semiadjustable arcon type articulator + Case Arquímedes Protrusal A7 Plus E

REF. 010103

SUPER OFFER
285 €

It has exclusive aluminum condylar guides with millimeter adjustment.

- ✓ Stabilization system of the condilar guide movement with spring.
- ✓ Support for upper branch in open position.
- ✓ Fixed intercondylar distance (110 mm).
- ✓ Regulable condylar guide.
- ✓ Regulable Bennet angle.
- ✓ Flat condylar guide.
- ✓ Bilateral locking system.



Semiadjustable arcon type articulator + Case 4000 S

REF. 010107

240 €

- ✓ Adjustable intercondylar distance (expanding spindle).
- ✓ Curve condylar guide.
- ✓ Regulable condylar guide.
- ✓ Regulable Bennet angle.
- ✓ Stabilization system of the condilar guide movement with O-ring.




Arcon type articulator Arquímedes Junior A7 Fix

REF. 010098

112 €

- ✓ Fixed intercondylar distance (110 mm).
- ✓ Condylar guide set at average 30°.
- ✓ Bennet angle set at average 15°.
- ✓ Curve condylar guide.
- ✓ Magnetic stabilization system of the condilar guide movement (built-in).
- ✓ Support for upper branch in open position.



Standard face bow

REF. 010102-50

95 €

The standard face bow is an apparatus used to record the spatial position of the patient's upper dental arch in relation to the skull and transfer the record to the articulator.

Transfer of the patient record is performed by setting the complete face bow in the upper frame of the articulator.



CE Medical device

Elite face bow

REF. 010100-55

198 €

The new elite face bow brings an articulated and fixation system for the fork that allows a faster registration process for the professional and comfortable for the patient.

It has a jig transfer assembly that eliminates the needs for face bow in the assembling process of the casts in the articulator, turning the process faster, more practical and stable.

Its nazium relator with adjustable height, including an infra-orbital indicator, turns the registration process more precise.



CE Medical device

Is equipped with a sliding system which allows smooth lateral movement (opening/closing) and facilitates the overall use.

The ear pieces are anatomical, removable and chemically sterilized.



SPECIAL OFFER | Clinic

From 1 February to 30 April, 2025

IDS 2025 from 25 to 29 March



MESTRA

Standard Professional Set

- ✓ Articulator A7 PLUS
- ✓ Standard face bow
- ✓ Case

REF. 010102

SUPER OFFER
265 €



Elite Professional Set

- ✓ Articulator A7 PLUS
- ✓ Élite face bow
- ✓ Case

REF. 010101

379 €



Standard Protrusals Set

- ✓ Articulator A7 PLUS-E
- ✓ Standard face bow
- ✓ Case

REF. 010104

SUPER OFFER
330 €



Elite Protrusals Set

- ✓ Articulator A7 PLUS-E
- ✓ Élite face bow
- ✓ Case

REF. 010106

SUPER OFFER
450 €



Standard 4000 S Set

- ✓ Articulator 4000S
- ✓ Standard face bow
- ✓ Case

REF. 010107S

331 €



Elite 4000 S Set

- ✓ Articulator 4000S
- ✓ Élite face bow
- ✓ Case


REF. 010107E

418 €



Dry piston compressors

Family of compressors consisting of two sizes of 80 and 160 litres/minute to which a dryer with automatic drain can be coupled. Extremely quiet operation (60 dB), easy maintenance (dry piston) and excellent reliability. They are supplied with two pressure gauges (boiler and service pressure), outlet pressure regulator and complete set of valves for draining. The service pressure can reach 8 bars.



REF. 110340

160 l/min
(with dryer)


1.974 €



REF. 110310

80 l/min
(with dryer)

1.334 €



CERTIFICATE BY TÜV SÜD
TYPE CERTIFICATE
N° 12202200491258001
Directive 2014/29/UE
(Pressure vessels)




1. Ref. 110340 is also available with HEPA filter (H14) Ref. 110340H
2. The activated carbon filter Ref. 110300-53 is available as an accessory for all compressors.



REFERENCE	110310	110340
Height	650 mm	750 mm
Width	390 mm	680 mm
Length	540 mm	480 mm
Weight	37 kg	66 kg
Power	750 W	1500 W
Pressure	5-8 bar	5-8 bar
Boiler capacity	30 l	50 l
N° heads	1	2

LED lamps and lamp base



Best seller!

REF. 100288

- ✓ 84 large LEDs
- ✓ Color temperature 6000 K
- ✓ Tactile dimmable light intensity.
- ✓ Specially rigid arm.
- ✓ With clamp for fastening to the table.


SUPER OFFER
90 €



REF. 100289

- ✓ 90 large LEDs
- ✓ Color temperature 6000-7000 K
- ✓ Tactile dimmable light intensity.
- ✓ With clamp for fastening to the table.

SUPER OFFER
90 €



REF. 100290

- ✓ 117 LEDs
- ✓ Color temperature 5600-6000 K
- ✓ With clamp for fastening to the table.

SUPER OFFER
90 €



Magnifying glass

- ✓ 90 white LEDs
- ✓ Ø 190 mm lens
- ✓ Clamp to fix it to the table

3 diopter lens
REF. 100287
5 diopter lens
REF. 100287-5x


SUPER OFFER
76 €




REF. 100289V

- ✓ 140 LEDs.
- ✓ Colour temperature 3000/6500 K
- ✓ 3 types of light: cold, neutral and warm.
- ✓ Tactile dimmable light intensity.
- ✓ With clamp for fastening to the table.

108 €



Swivels up to 180°



Accessories for lamp and magnifying glass

REF. 100287 - REF. 100288



REF. 100288-10
Wheeled stand

57 €



REF. 100288-02

Clamp support



REF. 100288-03

Wall bracket



REF. 100288-04

Screwable table support

25 cm



REF. 100288-07

Desktop stand



MESTRA

Talleres Mestraitua SL
(+34) 944 530 388
info@mestra.es - www.mestra.es
48150 SONDIKA (Spain)

Offer valid unless typographical error or out of stock. The manufacturer reserves the right to make changes without prior notice.

